

BIGGER... BETTER...

BATT X



THE ARMORED GROUP



BALLISTIC
ARMORED
TACTICAL
TRANSPORT



THE ARMORED GROUP



THE
ARMORED
GROUP



BATT - X

The BATT®-X is a multi-purpose APC with incorporated v-hull base. For 2020, additional length has been added to the to allow the BATT®-X to carry 10-14 Officers (depending on size of operators and amount of gear). It is designed for law enforcement agencies and tactical teams to carry out missions in both rural and urban settings.

TAG designed the BATT®-X series of vehicles using input provided by tactical teams around the world. The series stems from a need for vehicles that offer protection, comfort, ease of maintenance, storage, and manoeuvrability superior to the competition.



THE ULTIMATE
APC DESIGN

Our BATT®-X series includes features that add a higher level of comfort and safety than most other armored vehicles. We designed the BATT®-X series to accommodate fully geared officers comfortably and with the utmost security. Base Specifications of the BATT®-X are below. Modifications can be done as per customer requirements.

CEN B6 PROTECTION

BASE SPECIFICATIONS

ENGINE

Type	6.7L V8
Power	330hp @ 2600rpm
Torque	1017Nm @ 2000rpm
Power to Weight Ratio	33hp/ton
Fuel Tank Capacity	252L
Range	500+ km

POWER TRAIN

Transfer Case	Borg Warner/Magna
Gearbox	Ford

PERFORMANCE

Max Speed	140km/h
Gradient	60%
Side Slope	40%
Approach Angle	30°
Departure Angle	30°
Turning Radius Wall to Wall	10m
Turning Radius Short WB	10m
Avg Annual Mileage	6000 miles
Expected Years of Service	10 Years

ACCESSORIES

Front Winch	9,000 kg Capacity
Jerry Cans	4 x 20L
Spare Tire	Roof or Rear Mounted
Towing Hooks	Front and Rear
Radio Set	Pre-wiring
Weapon Mount	LMG/HMG

WHEELS AND TYRES

Wheels & Tyres	335/85 R20, 335/80 R20, Hutchinson WA1090
----------------	---

CONFIGURATION

Seating	2 + 2 + 6
Doors	5 + Roof Hatch + Turret

ELECTRICS

System:	12V, 156A
---------	-----------


DIMENSIONS

Length	6,280mm +- 20mm
Height	2,413mm
Height with Turret	3,100mm
Width	2,324mm
Wheelbase	3,683mm

CAPACITIES

GVWR	8,860 kg
Total Weight	7,500 kg +- 200 kg
Payload	1,360 kg
Fuel	252L

BATT - X





**THE
ARMORED
GROUP**

BATT X



CEN B6 Protection
Unrivaled Room And Tactical Ergonomics
More Ballistic Coverage
Unsurpassed Access To Critical Components (Flip Forward Armored Hood)



Over 25 Years of Armored Vehicle Manufacturing
Experts in Customizing & Building a Full Line of Armored & Non-Armored Vehicles
Large Variety of SUVs, Trucks, Vans, and Sedans available for Discreet or Tactical Armor Packages



CONTRACT HOLDER
GS-07F-9375S (Armored)
GS-30F-0020W (Non-Armored)



Official Supplier



f t in v

✉ sales@armoredcars.com

☎ +1 602 840 2271

🌐 www.armoredcars.com

UAE

CANADA

USA

GERMANY

INDIA